

```

{
  "pipelineConfig" : {
    "schemaVersion" : 5,
    "version" : 8,
    "pipelineId" : "IngestKineticaLogse74f57cd5be0ec0",
    "title" : "Ingest Kinetica Logs",
    "description" : "",
    "uuid" : "e0e0e6ca-dd5c-47de-8762-0e2ac6255642",
    "configuration" : [ {
      "name" : "executionMode",
      "value" : "STANDALONE"
    }, {
      "name" : "deliveryGuarantee",
      "value" : "AT_LEAST_ONCE"
    }, {
      "name" : "startEventStage",
      "value" : "streamsets-datacollector-basic-
lib::com_streamsets_pipeline_stage_destination_devnull_ToErrorNullDTar
get::1"
    }, {
      "name" : "stopEventStage",
      "value" : "streamsets-datacollector-basic-
lib::com_streamsets_pipeline_stage_destination_devnull_ToErrorNullDTar
get::1"
    }, {
      "name" : "shouldRetry",
      "value" : true
    }, {
      "name" : "retryAttempts",
      "value" : -1
    }, {
      "name" : "memoryLimit",
      "value" : "${jvm:maxMemoryMB() * 0.85}"
    }, {
      "name" : "memoryLimitExceeded",
      "value" : "LOG"
    }, {
      "name" : "notifyOnStates",
      "value" : [ "RUN_ERROR", "STOPPED", "FINISHED" ]
    }, {
      "name" : "emailIDs",
      "value" : [ ]
    }, {
      "name" : "constants",
      "value" : [ ]
    }, {
      "name" : "badRecordsHandling",
      "value" : "streamsets-datacollector-basic-
lib::com_streamsets_pipeline_stage_destination_recordstolocalfilesystem

```

```

m_ToErrorLocalFSDTarget::1"
  }, {
    "name" : "errorRecordPolicy",
    "value" : "ORIGINAL_RECORD"
  }, {
    "name" : "workerCount",
    "value" : 0
  }, {
    "name" : "clusterSlaveMemory",
    "value" : 2048
  }, {
    "name" : "clusterSlaveJavaOpts",
    "value" : "-XX:+UseConcMarkSweepGC -XX:+UseParNewGC -
Dlog4j.debug"
  }, {
    "name" : "clusterLauncherEnv",
    "value" : [ ]
  }, {
    "name" : "mesosDispatcherURL",
    "value" : null
  }, {
    "name" : "hdfsS3ConfDir",
    "value" : null
  }, {
    "name" : "rateLimit",
    "value" : 0
  }, {
    "name" : "maxRunners",
    "value" : 0
  }, {
    "name" : "shouldCreateFailureSnapshot",
    "value" : true
  }, {
    "name" : "webhookConfigs",
    "value" : [ ]
  }, {
    "name" : "sparkConfigs",
    "value" : [ ]
  }, {
    "name" : "statsAggregatorStage",
    "value" : ""
  } ],
"uiInfo" : {
  "previewConfig" : {
    "previewSource" : "CONFIGURED_SOURCE",
    "batchSize" : 10,
    "timeout" : 10000,
    "writeToDestinations" : false,
    "executeLifecycleEvents" : false,
    "showHeader" : false,

```

```

    "showFieldType" : true,
    "rememberMe" : true
  }
},
"stages" : [ {
  "instanceName" : "FileTail_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_origin_logtail_FileTailDSource",
  "stageVersion" : "4",
  "configuration" : [ {
    "name" : "conf.dataFormatConfig.compression",
    "value" : "NONE"
  }, {
    "name" : "conf.dataFormatConfig.filePatternInArchive",
    "value" : "*"
  }, {
    "name" : "conf.dataFormatConfig.charset",
    "value" : "UTF-8"
  }, {
    "name" : "conf.dataFormatConfig.removeCtrlChars",
    "value" : true
  }, {
    "name" : "conf.dataFormatConfig.textMaxLineLen",
    "value" : 1024
  }, {
    "name" : "conf.dataFormatConfig.useCustomDelimiter",
    "value" : false
  }, {
    "name" : "conf.dataFormatConfig.customDelimiter",
    "value" : "\\r\\n"
  }, {
    "name" :
"conf.dataFormatConfig.includeCustomDelimiterInTheText",
    "value" : false
  }, {
    "name" : "conf.dataFormatConfig.jsonContent",
    "value" : "MULTIPLE_OBJECTS"
  }, {
    "name" : "conf.dataFormatConfig.jsonMaxObjectLen",
    "value" : 4096
  }, {
    "name" : "conf.dataFormatConfig.csvFileFormat",
    "value" : "CSV"
  }, {
    "name" : "conf.dataFormatConfig.csvHeader",
    "value" : "NO_HEADER"
  }, {
    "name" : "conf.dataFormatConfig.csvAllowExtraColumns",
    "value" : false
  }
]
}
]

```

```
}, {
  "name" : "conf.dataFormatConfig.csvExtraColumnPrefix",
  "value" : "_extra_"
}, {
  "name" : "conf.dataFormatConfig.csvMaxObjectLen",
  "value" : 1024
}, {
  "name" : "conf.dataFormatConfig.csvCustomDelimiter",
  "value" : "|"
}, {
  "name" : "conf.dataFormatConfig.csvCustomEscape",
  "value" : "\\\"
}, {
  "name" : "conf.dataFormatConfig.csvCustomQuote",
  "value" : "\"\"
}, {
  "name" : "conf.dataFormatConfig.csvEnableComments",
  "value" : false
}, {
  "name" : "conf.dataFormatConfig.csvCommentMarker",
  "value" : "#"
}, {
  "name" : "conf.dataFormatConfig.csvIgnoreEmptyLines",
  "value" : true
}, {
  "name" : "conf.dataFormatConfig.csvRecordType",
  "value" : "LIST_MAP"
}, {
  "name" : "conf.dataFormatConfig.csvSkipStartLines",
  "value" : 0
}, {
  "name" : "conf.dataFormatConfig.parseNull",
  "value" : false
}, {
  "name" : "conf.dataFormatConfig.nullConstant",
  "value" : "\\\"\\N"
}, {
  "name" : "conf.dataFormatConfig.xmlRecordElement",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.includeFieldXPathAttributes",
  "value" : false
}, {
  "name" : "conf.dataFormatConfig.xpathNamespaceContext",
  "value" : [ ]
}, {
  "name" : "conf.dataFormatConfig.outputFieldAttributes",
  "value" : false
}, {
  "name" : "conf.dataFormatConfig.xmlMaxObjectLen",
```

```

    "value" : 4096
  }, {
    "name" : "conf.dataFormatConfig.logMode",
    "value" : "LOG4J"
  }, {
    "name" : "conf.dataFormatConfig.logMaxObjectLen",
    "value" : 10240
  }, {
    "name" : "conf.dataFormatConfig.retainOriginalLine",
    "value" : false
  }, {
    "name" : "conf.dataFormatConfig.customLogFormat",
    "value" : "%h %l %u %t \"%r\" %>s %b"
  }, {
    "name" : "conf.dataFormatConfig.regex",
    "value" : "^(\\S+) (\\S+) (\\S+) \\[([\\w:/]+\\s[+\\-]\\d{4})\\] \\\"(\\S+) (\\S+) (\\S+)\\\" (\\d{3}) (\\d+)"
  }, {
    "name" : "conf.dataFormatConfig.fieldPathsToGroupName",
    "value" : [ {
      "fieldPath" : "/",
      "group" : 1
    } ]
  }, {
    "name" : "conf.dataFormatConfig.grokPatternDefinition",
    "value" : null
  }, {
    "name" : "conf.dataFormatConfig.grokPattern",
    "value" : "%{COMMONAPACHELOG}"
  }, {
    "name" : "conf.dataFormatConfig.onParseError",
    "value" : "ERROR"
  }, {
    "name" : "conf.dataFormatConfig.maxStackTraceLines",
    "value" : 50
  }, {
    "name" : "conf.dataFormatConfig.enableLog4jCustomLogFormat",
    "value" : true
  }, {
    "name" : "conf.dataFormatConfig.log4jCustomLogFormat",
    "value" : "%d %p %m"
  }, {
    "name" : "conf.dataFormatConfig.avroSchemaSource",
    "value" : null
  }, {
    "name" : "conf.dataFormatConfig.avroSchema",
    "value" : null
  }, {
    "name" : "conf.dataFormatConfig.schemaRegistryUrls",
    "value" : [ ]
  }

```

```

}, {
  "name" : "conf.dataFormatConfig.schemaLookupMode",
  "value" : "SUBJECT"
}, {
  "name" : "conf.dataFormatConfig.subject",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.schemaId",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.protoDescriptorFile",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.messageType",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.isDelimited",
  "value" : true
}, {
  "name" : "conf.dataFormatConfig.binaryMaxObjectLen",
  "value" : 1024
}, {
  "name" : "conf.dataFormatConfig.datagramMode",
  "value" : "SYSLOG"
}, {
  "name" : "conf.dataFormatConfig.typesDbPath",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.convertTime",
  "value" : false
}, {
  "name" : "conf.dataFormatConfig.excludeInterval",
  "value" : true
}, {
  "name" : "conf.dataFormatConfig.authFilePath",
  "value" : null
}, {
  "name" : "conf.dataFormatConfig.netflowOutputValuesMode",
  "value" : "RAW_AND_INTERPRETED"
}, {
  "name" : "conf.dataFormatConfig.maxTemplateCacheSize",
  "value" : -1
}, {
  "name" : "conf.dataFormatConfig.templateCacheTimeoutMs",
  "value" : -1
}, {
  "name" :
"conf.dataFormatConfig.netflowOutputValuesModeDatagram",
  "value" : "RAW_AND_INTERPRETED"
}, {

```

```

        "name" : "conf.dataFormatConfig.maxTemplateCacheSizeDatagram",
        "value" : -1
    }, {
        "name" :
"conf.dataFormatConfig.templateCacheTimeoutMsDatagram",
        "value" : -1
    }, {
        "name" : "conf.dataFormatConfig.wholeFileMaxObjectLen",
        "value" : 8192
    }, {
        "name" : "conf.dataFormatConfig.rateLimit",
        "value" : "-1"
    }, {
        "name" : "conf.dataFormatConfig.verifyChecksum",
        "value" : false
    }, {
        "name" : "conf.dataFormat",
        "value" : "LOG"
    }, {
        "name" : "conf.multiLineMainPattern",
        "value" : null
    }, {
        "name" : "conf.batchSize",
        "value" : 1000
    }, {
        "name" : "conf.maxWaitTimeSecs",
        "value" : 5
    }, {
        "name" : "conf.fileInfos",
        "value" : [ {
            "fileRollMode" : "REVERSE_COUNTER",
            "patternForToken" : ".*",
            "fileFullPath" : "/opt/gpudb/core/logs/gpudb.log"
        } ]
    }, {
        "name" : "conf.allowLateDirectories",
        "value" : false
    }, {
        "name" : "conf.postProcessing",
        "value" : "NONE"
    }, {
        "name" : "conf.archiveDir",
        "value" : null
    }, {
        "name" : "stageOnRecordError",
        "value" : "TO_ERROR"
    } ] ,
    "uiInfo" : {
        "outputStreamLabels" : [ "Data", "Metadata" ],
        "yPos" : 110,

```

```

    "stageType" : "SOURCE",
    "rawSource" : {
      "configuration" : [ {
        "name" : "fileName"
      } ]
    },
    "description" : "",
    "label" : "File Tail",
    "xPos" : 60
  },
  "inputLanes" : [ ],
  "outputLanes" : [ "FileTail_01OutputLane15251034188880",
"FileTail_01OutputLane15251034188881" ],
  "eventLanes" : [ ],
  "services" : [ ]
}, {
  "instanceName" : "Trash_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_destination_devnull_NullDTarget",
  "stageVersion" : "1",
  "configuration" : [ ],
  "uiInfo" : {
    "description" : "",
    "label" : "Trash",
    "xPos" : 280,
    "yPos" : 170,
    "stageType" : "TARGET"
  },
  "inputLanes" : [ "FileTail_01OutputLane15251034188881" ],
  "outputLanes" : [ ],
  "eventLanes" : [ ],
  "services" : [ ]
}, {
  "instanceName" : "ExpressionEvaluator_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_processor_expression_ExpressionDProcess
or",
  "stageVersion" : "2",
  "configuration" : [ {
    "name" : "expressionProcessorConfigs",
    "value" : [ {
      "fieldToSet" : "/pid_info",
      "expression" : "${str:substring(record:value('/message'),
0,30)}"
    }, {
      "fieldToSet" : "/rest_of_message",
      "expression" : "${str:substring(record:value('/message'),
31,str:length(record:value('/message')))}"
    }
  ]
}

```



```

    }, {
      "fieldToSet" : "/host_end_index",
      "expression" : "${str:indexOf(record:value('/
rest_of_message'),' ')}"
    }, {
      "fieldToSet" : "/host",
      "expression" : "${str:substring(record:value('/
rest_of_message'),0,record:value('/host_end_index'))}"
    }, {
      "fieldToSet" : "/message",
      "expression" : "${str:substring(record:value('/
rest_of_message'),str:length(record:value('/host')) +
1,str:length(record:value('/rest_of_message'))}"
    } ]
  }, {
    "name" : "headerAttributeConfigs",
    "value" : [ { } ]
  }, {
    "name" : "fieldAttributeConfigs",
    "value" : [ {
      "fieldToSet" : "/"
    } ]
  }, {
    "name" : "stageOnError",
    "value" : "TO_ERROR"
  }, {
    "name" : "stageRequiredFields",
    "value" : [ ]
  }, {
    "name" : "stageRecordPreconditions",
    "value" : [ ]
  } ],
  "uiInfo" : {
    "description" : "",
    "label" : "Expression Evaluator",
    "xPos" : 280,
    "yPos" : 40,
    "stageType" : "PROCESSOR"
  },
  "inputLanes" : [ "FileTail_01OutputLane15251034188880" ],
  "outputLanes" :
[ "ExpressionEvaluator_01OutputLane15251274663660" ],
  "eventLanes" : [ ],
  "services" : [ ]
}, {
  "instanceName" : "FieldRemover_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_processor_fieldfilter_FieldFilterDProce
ssor",

```

```

"stageVersion" : "1",
"configuration" : [ {
  "name" : "filterOperation",
  "value" : "REMOVE"
}, {
  "name" : "fields",
  "value" : [ "/host_end_index", "/rest_of_message" ]
}, {
  "name" : "stageRequiredFields",
  "value" : [ ]
}, {
  "name" : "stageRecordPreconditions",
  "value" : [ ]
} ],
"uiInfo" : {
  "description" : "",
  "label" : "Field Remover",
  "xPos" : 500,
  "yPos" : 40,
  "stageType" : "PROCESSOR"
},
"inputLanes" :
[ "ExpressionEvaluator_01OutputLane15251274663660" ],
"outputLanes" : [ "FieldRemover_01OutputLane15251320653850" ],
"eventLanes" : [ ],
"services" : [ ]
}, {
  "instanceName" : "FieldRenamer_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_processor_fieldrenamer_FieldRenamerDPro
cessor",
  "stageVersion" : "2",
  "configuration" : [ {
    "name" : "renameMapping",
    "value" : [ {
      "fromFieldExpression" : "/timestamp",
      "toFieldExpression" : "/ts"
    } ]
  }, {
    "name" : "errorHandler.nonExistingFromFieldHandling",
    "value" : "TO_ERROR"
  }, {
    "name" : "errorHandler.existingToFieldHandling",
    "value" : "TO_ERROR"
  }, {
    "name" : "errorHandler.multipleFromFieldsMatching",
    "value" : "TO_ERROR"
  }, {
    "name" : "stageOnRecordError",

```

```

    "value" : "TO_ERROR"
  }, {
    "name" : "stageRequiredFields",
    "value" : [ ]
  }, {
    "name" : "stageRecordPreconditions",
    "value" : [ ]
  } ],
  "uiInfo" : {
    "description" : "",
    "label" : "Field Renamer",
    "xPos" : 722.030517578125,
    "yPos" : 41.015228271484375,
    "stageType" : "PROCESSOR"
  },
  "inputLanes" : [ "FieldRemover_01OutputLane15251320653850" ],
  "outputLanes" : [ "FieldRenamer_01OutputLane15251326650220" ],
  "eventLanes" : [ ],
  "services" : [ ]
}, {
  "instanceName" : "ValueReplacer_01",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_processor_fieldvaluereplacer_FieldValue
ReplacerDProcessor",
  "stageVersion" : "3",
  "configuration" : [ {
    "name" : "nullReplacerConditionalConfigs",
    "value" : [ ]
  }, {
    "name" : "fieldsToReplaceIfNull",
    "value" : [ {
      "fields" : [ "/host" ],
      "newValue" : "localhost.localdomain"
    } ]
  }, {
    "name" : "onStagePreConditionFailure",
    "value" : "TO_ERROR"
  }, {
    "name" : "fieldsToConditionallyReplace",
    "value" : [ ]
  }, {
    "name" : "stageOnRecordError",
    "value" : "TO_ERROR"
  }, {
    "name" : "stageRequiredFields",
    "value" : [ ]
  }, {
    "name" : "stageRecordPreconditions",
    "value" : [ ]
  } ]
} ]

```

```

    } ],
    "uiInfo" : {
        "description" : "",
        "label" : "Value Replacer 1",
        "xPos" : 978,
        "yPos" : 38,
        "stageType" : "PROCESSOR"
    },
    "inputLanes" : [ "FieldRenamer_01OutputLane15251326650220" ],
    "outputLanes" : [ "ValueReplacer_01OutputLane15278538677710" ],
    "eventLanes" : [ ],
    "services" : [ ]
}, {
    "instanceName" : "KineticaDB_01",
    "library" : "streamsets-datacollector-kinetica_6_1-lib",
    "stageName" :
"com_streamsets_pipeline_stage_kinetica_KineticaDTarget",
    "stageVersion" : "1",
    "configuration" : [ {
        "name" : "conf.url",
        "value" : "http://localhost:9191"
    }, {
        "name" : "conf.batchSize",
        "value" : 1000
    }, {
        "name" : "conf.transportCompressionEnabled",
        "value" : false
    }, {
        "name" : "conf.disableMultihead",
        "value" : false
    }, {
        "name" : "conf.ipRegex",
        "value" : null
    }, {
        "name" : "conf.tableName",
        "value" : "KINETICA_LOGS"
    }, {
        "name" : "conf.updateOnExistingPk",
        "value" : false
    }, {
        "name" : "conf.username",
        "value" : "admin"
    }, {
        "name" : "conf.password",
        "value" : "Kinetica1!"
    }, {
        "name" : "stageOnRecordError",
        "value" : "TO_ERROR"
    }, {
        "name" : "stageRequiredFields",

```

```

    "value" : [ ]
  }, {
    "name" : "stageRecordPreconditions",
    "value" : [ ]
  } ],
  "uiInfo" : {
    "description" : "",
    "label" : "KineticADB",
    "xPos" : 1234.83740234375,
    "yPos" : 38.46949005126953,
    "stageType" : "TARGET"
  },
  "inputLanes" : [ "ValueReplacer_010outputLane15278538677710" ],
  "outputLanes" : [ ],
  "eventLanes" : [ ],
  "services" : [ ]
} ],
"errorStage" : {
  "instanceName" : "WritetoFile_ErrorStage",
  "library" : "streamsets-datacollector-basic-lib",
  "stageName" :
"com_streamsets_pipeline_stage_destination_recordstolocalfilesystem_To
ErrorLocalFSDTarget",
  "stageVersion" : "1",
  "configuration" : [ {
    "name" : "directory",
    "value" : "/tmp/errors"
  }, {
    "name" : "uniquePrefix",
    "value" : "sdc-${sdc:id()}"
  }, {
    "name" : "rotationIntervalSecs",
    "value" : "${1 * HOURS}"
  }, {
    "name" : "maxFileSizeMbs",
    "value" : 512
  } ],
  "uiInfo" : {
    "description" : "",
    "label" : "Error Records - Write to File",
    "xPos" : 520,
    "yPos" : 50,
    "stageType" : "TARGET"
  },
  "inputLanes" : [ ],
  "outputLanes" : [ ],
  "eventLanes" : [ ],
  "services" : [ ]
},
"info" : {

```

```

    "pipelineId" : "IngestKineticaLogse74f57cd5be0ec0",
    "title" : "Ingest Kinetica Logs",
    "description" : "",
    "created" : 1527718048639,
    "lastModified" : 1527858390618,
    "creator" : "admin",
    "lastModifier" : "admin",
    "lastRev" : "0",
    "uuid" : "e0e0e6ca-dd5c-47de-8762-0e2ac6255642",
    "valid" : true,
    "metadata" : {
      "labels" : [ ]
    },
    "name" : "IngestKineticaLogse74f57cd5be0ec0",
    "sdcVersion" : "3.1.3.0",
    "sdcId" : "9e407547-4991-11e8-b297-3741d1987122"
  },
  "metadata" : {
    "labels" : [ ]
  },
  "statsAggregatorStage" : null,
  "startEventStages" : [ {
    "instanceName" : "Discard_StartEventStage",
    "library" : "streamsets-datacollector-basic-lib",
    "stageName" :
"com_streamsets_pipeline_stage_destination_devnull_ToErrorNullDTarget"
,
    "stageVersion" : "1",
    "configuration" : [ ],
    "uiInfo" : {
      "description" : "",
      "label" : "Start Event - Discard",
      "xPos" : 280,
      "yPos" : 50,
      "stageType" : "TARGET"
    },
    "inputLanes" : [ ],
    "outputLanes" : [ ],
    "eventLanes" : [ ],
    "services" : [ ]
  } ],
  "stopEventStages" : [ {
    "instanceName" : "Discard_StopEventStage",
    "library" : "streamsets-datacollector-basic-lib",
    "stageName" :
"com_streamsets_pipeline_stage_destination_devnull_ToErrorNullDTarget"
,
    "stageVersion" : "1",

```

```

"configuration" : [ ],
"uiInfo" : {
  "description" : "",
  "label" : "Stop Event - Discard",
  "xPos" : 280,
  "yPos" : 50,
  "stageType" : "TARGET"
},
"inputLanes" : [ ],
"outputLanes" : [ ],
"eventLanes" : [ ],
"services" : [ ]
} ],
"previewable" : true,
"valid" : true,
"issues" : {
  "stageIssues" : { },
  "pipelineIssues" : [ ],
  "issueCount" : 0
}
},
"pipelineRules" : {
  "schemaVersion" : 3,
  "version" : 2,
  "metricsRuleDefinitions" : [ {
    "id" : "badRecordsAlertID",
    "alertText" : "High incidence of Error Records",
    "metricId" : "pipeline.batchErrorRecords.counter",
    "metricType" : "COUNTER",
    "metricElement" : "COUNTER_COUNT",
    "condition" : "${value() > 100}",
    "sendEmail" : false,
    "enabled" : false,
    "timestamp" : 1525103408065,
    "valid" : true
  }, {
    "id" : "stageErrorAlertID",
    "alertText" : "High incidence of Stage Errors",
    "metricId" : "pipeline.batchErrorMessages.counter",
    "metricType" : "COUNTER",
    "metricElement" : "COUNTER_COUNT",
    "condition" : "${value() > 100}",
    "sendEmail" : false,
    "enabled" : false,
    "timestamp" : 1525103408065,
    "valid" : true
  }, {
    "id" : "idleGaugeID",
    "alertText" : "Pipeline is Idle",
    "metricId" : "RuntimeStatsGauge.gauge",

```

```

    "metricType" : "GAUGE",
    "metricElement" : "TIME_OF_LAST_RECEIVED_RECORD",
    "condition" : "${time:now() - value() > 120000}",
    "sendEmail" : false,
    "enabled" : false,
    "timestamp" : 1525103408065,
    "valid" : true
  }, {
    "id" : "batchTimeAlertID",
    "alertText" : "Batch taking more time to process",
    "metricId" : "RuntimeStatsGauge.gauge",
    "metricType" : "GAUGE",
    "metricElement" : "CURRENT_BATCH_AGE",
    "condition" : "${value() > 200}",
    "sendEmail" : false,
    "enabled" : false,
    "timestamp" : 1525103408065,
    "valid" : true
  }, {
    "id" : "memoryLimitAlertID",
    "alertText" : "Memory limit for pipeline exceeded",
    "metricId" : "pipeline.memoryConsumed.counter",
    "metricType" : "COUNTER",
    "metricElement" : "COUNTER_COUNT",
    "condition" : "${value() > (jvm:maxMemoryMB() * 0.65)}",
    "sendEmail" : false,
    "enabled" : false,
    "timestamp" : 1525103408065,
    "valid" : true
  } ],
  "dataRuleDefinitions" : [ ],
  "driftRuleDefinitions" : [ ],
  "uuid" : "00328cb6-475c-4424-b923-5c953d351230",
  "configuration" : [ {
    "name" : "emailIDs",
    "value" : [ ]
  }, {
    "name" : "webhookConfigs",
    "value" : [ ]
  } ],
  "ruleIssues" : [ ],
  "configIssues" : [ ]
},
"libraryDefinitions" : null
}

```